

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|--|------------------|
| - | 290 | (qos or quality adj of adj servic\$) same (wireless or mobile) same priority | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 10:28 |
| - | 100 | uni near 3.1 | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 11:52 |
| - | 2 | uni near 3.1 same ilmi | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 11:58 |
| - | 296 | (detect\$3 or discover\$3 or learn\$3) near protocol with (switch\$3 or rout\$3) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 12:38 |
| - | 1651 | (detect\$3 or discover\$3 or learn\$3) with protocol with (switch\$3 or rout\$3) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 12:00 |
| - | 952 | ((detect\$3 or discover\$3 or learn\$3) with protocol with (switch\$3 or rout\$3)) and @ad<=20010307 | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 12:01 |
| - | 290 | ((detect\$3 or discover\$3 or learn\$3) with protocol with (switch\$3 or rout\$3)) and @ad<=20010307) and (ATM or DSL) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 12:02 |
| - | 496 | ((detect\$3 or discover\$3 or learn\$3) with protocol with (switch\$3 or rout\$3)) and @ad<=20010307) and 370.clas. | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 12:02 |
| - | 224 | ((((detect\$3 or discover\$3 or learn\$3) with protocol with (switch\$3 or rout\$3)) and @ad<=20010307) and (ATM or DSL)) and 370.clas. | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 12:02 |
| - | 2 | (detect\$3 or discover\$3 or learn\$3) near (protocol\$ adj version) with (switch\$3 or rout\$3) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 12:39 |
| - | 8 | (detect\$3 or discover\$3 or learn\$3) with (protocol\$ adj version) with (switch\$3 or rout\$3) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 13:54 |
| - | 1370 | 370/465.cccls. | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 13:54 |
| - | 1247 | 370/466.cccls. | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; | 2004/07/10 13:54 |
| - | 888 | 370/466.cccls. and @ad<=20010307 | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/10 13:55 |

| | | | | |
|---|-----|--|--|------------------|
| - | 392 | ((370/466.ccls. and @ad<=20010307) and ATM | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 13:55 |
| - | 342 | ((370/466.ccls. and @ad<=20010307) and ATM) and (detect\$3 or setup or connect) | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 13:56 |
| - | 118 | ((370/466.ccls. and @ad<=20010307) and ATM) and (ethernet with atm) | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 13:58 |
| - | 10 | ((((370/466.ccls. and @ad<=20010307) and ATM) and (ethernet with atm)) and protocol near5 version | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:06 |
| - | 50 | ((((370/466.ccls. and @ad<=20010307) and ATM) and (ethernet with atm)) and protocol near5 (conver\$5 or translat\$3 or transform\$3) | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:19 |
| - | 0 | ((((370/466.ccls. and @ad<=20010307) and ATM) and (ethernet with atm)) and protocol near5 (conver\$5 or translat\$3 or transform\$3) with version | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:19 |
| - | 0 | ((((370/466.ccls. and @ad<=20010307) and ATM) and (ethernet with atm)) and protocol with (conver\$5 or translat\$3 or transform\$3) with version | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:20 |
| - | 2 | ((((370/466.ccls. and @ad<=20010307) and ATM) and (detect\$3 or setup or connect)) and protocol with (conver\$5 or translat\$3 or transform\$3) with version | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:21 |
| - | 13 | 370/466.ccls. and protocol with (conver\$5 or translat\$3 or transform\$3) with version | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:43 |
| - | 47 | uni same ilmi | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 15:28 |
| - | 47 | (uni same ilmi) and atm | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:52 |
| - | 89 | "uni 3.1" | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:53 |
| - | 68 | "uni 3.1" and @ad<=20010307 | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:53 |
| - | 89 | "uni 4.0" | USPAT; US-PGPUB; EPO; DERWENT; IBM TDB | 2004/07/10 14:53 |

| | | | | |
|---|------|--|--|------------------|
| - | 64 | "uni 4.0" and @ad<=20010307 | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/10 14:53 |
| - | 27 | ("uni 3.1" and @ad<=20010307) and ("uni 4.0" and @ad<=20010307) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/10 15:05 |
| - | 4 | (("uni 3.1" and @ad<=20010307) and ("uni 4.0" and @ad<=20010307)) and cpe | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/10 15:05 |
| - | 1697 | ((uni adj 3.0 or uni adj 4.0) or user-network adj interfac\$4 or (user\$ adj network\$ adj interfac\$)) and @ad<=20010307 | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/10 15:33 |
| - | 373 | ((((uni adj 3.0 or uni adj 4.0) or user-network adj interfac\$4 or (user\$ adj network\$ adj interfac\$)) and @ad<=20010307) and 370/395.\$.ccls.) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/10 15:34 |
| - | 372 | (((((uni adj 3.0 or uni adj 4.0) or user-network adj interfac\$4 or (user\$ adj network\$ adj interfac\$)) and @ad<=20010307) and 370/395.\$.ccls.) and (ATM or B-ISDN or broadband) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 13:57 |
| - | 2 | uni with protocol adj version with (determin\$ or detect\$ or judg\$ or decid\$ or analyz\$) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 13:59 |
| - | 17 | atm with protocol adj version with (determin\$ or detect\$ or judg\$ or decid\$ or analyz\$) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 14:01 |
| - | 120 | protocol adj version with (determin\$ or detect\$ or judg\$ or decid\$ or analyz\$) | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 14:04 |
| - | 52 | (protocol adj version with (determin\$ or detect\$ or judg\$ or decid\$ or analyz\$)) and @ad<=20010307 | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 14:02 |
| - | 27 | ((protocol adj version with (determin\$ or detect\$ or judg\$ or decid\$ or analyz\$)) and @ad<=20010307) and 370.clas. | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 14:03 |
| - | 44 | (protocol adj version with (determin\$ or detect\$ or judg\$ or decid\$ or analyz\$)) and atm | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 14:07 |
| - | 326 | 370/467.cccls. | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 14:07 |
| - | 35 | 370/467.cccls. and uni | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/07/11 14:08 |

